






Bill of elements						
Assembly	Name	Quantity	Weight, kg		Length, mm	Notes
			unit	sum		
Ag-1	Angle	8	0.8	6.4	220	
Bc-1	Base column	4	14.4	57.6	270	
Bs-1	Brace	1	32.1	32.1	6760	
Dg-1	Beam	8	15.6	124.8	5850	
Mb-1	Main beam	4	51.2	204.8	6180	
P-1	Plate	4	1.4	5.6	200	
P-2	Plate	4	0.8	3.2	150	
Pl-1	Columns	2	11.8	23.6	2490	
Pl-2	Columns	2	13.5	27.0	2865	
Pl-3	Columns	2	14.6	29.2	3075	
Pl-4	Columns	2	16.5	33.0	3485	
Sp-1	Frame beam	2	23.9	47.8	4900	

Technical drawing of a two-car parking space. The overall width is 6948 and the overall height is 3816. The parking area is 5000 wide and 5150 deep. Two cars are shown, each 1718 wide. The distance between the cars is 782. The distance from the side walls to the cars is 391. The drawing includes a cross-section of the parking structure with a diagonal beam and a dashed line indicating the ground level.

[illegible]








1. Panel 1722x1134x30 - 20pcs.



						PSC-2-5H-2.3M					
						1722x1134x30					



- | | | | | | | | | | |
|--|--|--|--|--|--|------------------------------------|--|---|--|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | PSC-2-5H-2.3M | | 1722x1134x30 | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | Pile layout plan
Bc layout plan | |  | |
| | | | | | | | | | |

Location scheme Pl, Sp-1, Ag-1

[illegible]




PSC-2-5H-2.3M 1722x1134x30

[illegible]

Orig. Inv. No	Date & Signature	Replacing Inv. No	Approved

3D View

[illegible]